






THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. IT IS CONFIDENTIAL AND A PROPERTY OF Amphenol LTW. DISCLOSURE TO THIRD PARTY HAS TO BE AUTHORIZED BY Amphenol LTW.

THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. IT IS CONFIDENTIAL AND A PROPERTY OF Amphenol LTW. DISCLOSURE TO THIRD PARTY HAS TO BE AUTHORIZED BY Amphenol LTW.

Tape & Reel Information:




Note:
* Connector Orientat Follow Drawing



Wide Cover Tape Around
Out Periphery 1 Turn

Peeling Strenght 0.1~1.3N Max.
(300±10mm/min)
Peeling Angle
165~180°





UNIT:mm		TOLERANCE		TITLE		ITEM NO		DRAWN BY		DATE	
				N SEN, MI2 D, NONE RECEPTACLE, M, M, PCB S				Yunchen		2024/07/12	
SCALE		SIZE		SHEET		DWG NO		CHECKED BY		DATE	
1:1		A4		2 OF 3		MI2D-XXPMMP-EE0001		Aric		2024/07/12	
REV.		WC-REV.		QC:Inspection item		CUSTOMER		APPROVED BY		DATE	
A		1				ALTW		Fred		2024/07/12	


Amphenol LTW
安費諾亮泰企業股份有限公司

THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. IT IS CONFIDENTIAL AND A PROPERTY OF Amphenol LTW. DISCLOSURE TO THIRD PARTY HAS TO BE AUTHORIZED BY Amphenol LTW.

Package:



One Carton can put in the 5PCS(Max.) Box
(500 PCS/Carton)



100 PCS(Connector)/Tape&Reel,
Put in a Box

UNIT:mm		TOLERANCE		TITLE N SEN, MI2 D, NONE RECEPTACLE, M, M, PCB S		ITEM NO		DRAWN BY Yunchen		DATE 2024/07/12	
SCALE 1:1		SIZE A4		SHEET 3 OF 3		DWG NO MI2D-XXPMMP-EE0001		CHECKED BY Aric		DATE 2024/07/12	
REV. A		WC-REV.		1 QC:Inspection item		CUSTOMER ALTW		APPROVED BY Fred		DATE 2024/07/12	

Amphenol LTW
安費諾亮泰企業股份有限公司