





XX: No. Of Pin _____



Pin Assignment
Front View



Note:

- * RoHS Compliant
- *  Important Dimension.
- * Waterproof: Non-Waterproof
- * Connector: Thermoplastic, Black
- * Pin: Copper Alloy, Gold Plated
- * Spring: Metal
- * Recommended PCB Thickness: 1 mm

UNIT: mm

TOLERANCE

.X ± 0.25
 .XX $\pm \#0.1$
 .XXX ± 0.05
 ANGLES $\pm 1^\circ$

TITLE

N SEN, M12 S, 04P, NONE
RECEPTACLE, F, F, PCB S

SCALE 3:1

SIZE	A4
------	----

SHEET	1	OF	3
-------	---	----	---

REV. A

WC-REV. 1 5

QC: Inspection item

Amphenol LTW

安費諾亮泰企業股份有限公司

ITEM NO	DESCRIPTION	QTY	UNIT	PRICE	TOTAL
1	...	...	...	...	...
2	...	...	...	...	...
3	...	...	...	...	...
4	...	...	...	...	...
5	...	...	...	...	...
6	...	...	...	...	...
7	...	...	...	...	...
8	...	...	...	...	...
9	...	...	...	...	...
10	...	...	...	...	...
11	...	...	...	...	...
12	...	...	...	...	...
13	...	...	...	...	...
14	...	...	...	...	...
15	...	...	...	...	...
16	...	...	...	...	...
17	...	...	...	...	...
18	...	...	...	...	...
19	...	...	...	...	...
20	...	...	...	...	...
21	...	...	...	...	...
22	...	...	...	...	...
23	...	...	...	...	...
24	...	...	...	...	...
25	...	...	...	...	...
26	...	...	...	...	...
27	...	...	...	...	...
28	...	...	...	...	...
29	...	...	...	...	...
30	...	...	...	...	...
31	...	...	...	...	...
32	...	...	...	...	...
33	...	...	...	...	...
34	...	...	...	...	...
35	...	...	...	...	...
36	...	...	...	...	...
37	...	...	...	...	...
38	...	...	...	...	...
39	...	...	...	...	...
40	...	...	...	...	...
41	...	...	...	...	...
42	...	...	...	...	...
43	...	...	...	...	...
44	...	...	...	...	...
45	...	...	...	...	...
46	...	...	...	...	...
47	...	...	...	...	...
48	...	...	...	...	...
49	...	...	...	...	...
50	...	...	...	...	...
51	...	...	...	...	...
52	...	...	...	...	...
53	...	...	...	...	...
54	...	...	...	...	...
55	...	...	...	...	...
56	...	...	...	...	...
57	...	...	...	...	...
58	...	...	...	...	...
59	...	...	...	...	...
60	...	...	...	...	...
61	...	...	...	...	...
62	...	...	...	...	...
63	...	...	...	...	...
64	...	...	...	...	...
65	...	...	...	...	...
66	...	...	...	...	...
67	...	...	...	...	...
68	...	...	...	...	...
69	...	...	...	...	...
70	...	...	...	...	...
71	...	...	...	...	...
72	...	...	...	...	...
73	...	...	...	...	...
74	...	...	...	...	...
75	...	...	...	...	...
76	...	...	...	...	...
77	...	...	...	...	...
78	...	...	...	...	...
79	...	...	...	...	...
80	...	...	...	...	...
81	...	...	...	...	...
82	...	...	...	...	...
83	...	...	...	...	...
84	...	...	...	...	...
85	...	...	...	...	...
86	...	...	...	...	...
87	...	...	...	...	...
88	...	...	...	...	...
89	...	...	...	...	...
90	...	...	...	...	

DWG NO	
--------	--

CUSTOMER

DWG NO
MI2S-XXPFFP-EE0001

ALTW

DRAWN BY _____

Qianxiang

CHECKED BY	
------------	--

Feng

APPROVED BY

APPROVED BY
Jerry

DATE

2022-04-13


	DATE
--	------

2022-04-13

	DATE
--	------





DATE 2022-04-13

THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. IT IS CONFIDENTIAL AND A PROPERTY OF Amphenol LTW. DISCLOSURE TO THIRD PARTY HAS TO BE AUTHORIZED BY Amphenol LTW.




THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. IT IS CONFIDENTIAL AND A PROPERTY OF Amphenol LTW. DISCLOSURE TO THIRD PARTY HAS TO BE AUTHORIZED BY Amphenol LTW.

Package:




80 PCS(Connector)/Tape&Reel,
Put in a Box



One Carton can put in the 4PCS(Max.) Box
(320 PCS/Carton)

UNIT:mm



TOLEARANCE

.X ±0.25
.XX ±0.1
.XXX ±0.05
ANGLES ±1°

TITLE

N SEN, M12 S, 04P, NONE
RECEPTACLE, F, F, PCB S

SCALE

1:1

SIZE

A4

SHEET

3

OF

3

REV.

A

WC-REV.

A.5

QC: Inspection item

Amphenol LTW

安費諾亮泰企業股份有限公司

ITEM NO

DWG NO

CUSTOMER

M12S-XXPFFP-EE0001

ALTW

DRAWN BY

Qianxiang

CHECKED BY

Feng

APPROVED BY

Jerry

DATE

2022-04-13

DATE

2022-04-13

DATE

2022-04-13